



## Current wetland extent, 2013

### Metadata

#### File Identifier

91778fd3-ec6f-6df2-0e01-31a56dc9e691

#### Language

eng

#### Character Set

##### Character Set Code

utf8

#### Hierarchy Level

##### Scope Code

dataset

#### Hierarchy Level Name

dataset

### Contact

#### Responsible Party

##### Organisation Name

Environmental Reporting, Ministry for the Environment and Statistics New Zealand

##### Position Name

Analyst

#### Contact Info

##### Contact

##### Address

##### Address

##### Delivery Point

23 Kate Sheppard Place, PO Box 10362

##### City

Wellington 6143

##### Country

New Zealand

##### Electronic Mail Address

Environmental.Reporting@mfe.govt.nz

#### Role

Role Code  
distributor

Date Stamp  
Date  
2016-01-21

Metadata Standard Name  
ANZLIC Metadata Profile: An Australian/New Zealand Profile of AS/NZS ISO 19115:2005,  
Geographic information - Metadata

Metadata Standard Version  
1.1

Reference System Info  
Reference System  
Reference System Identifier  
Identifier  
Code  
2193

Identification Info  
Data Identification  
Citation  
Citation  
Title  
Current wetland extent, 2013  
Date

Abstract  
"Wetlands support unique biodiversity and provide important services. They clean water of nutrients and sediment, help dampen floods, provide habitat, and act as carbon sinks. They are also valued for their spiritual and cultural significance and as important sources of food and materials, such as flax. Draining them for agricultural and urban development has reduced their extent. Understanding this reduction provides insight into the loss of biodiversity and natural function. This dataset relates to the ""Wetland extent"" measure on the Environmental Indicators, Te taiao Aotearoa website. "

Status  
Progress Code  
completed

Point Of Contact  
Responsible Party  
Organisation Name  
Environmental Reporting, Ministry for the Environment and Statistics New Zealand  
Position Name

Analyst

### Contact Info

#### Contact

##### Address

##### Address

##### Delivery Point

23 Kate Sheppard Place, PO Box 10362

##### City

Wellington 6143

##### Country

New Zealand

##### Electronic Mail Address

Environmental.Reporting@mfe.govt.nz

### Role

#### Role Code

distributor

### Resource Maintenance

#### Maintenance Information

##### Maintenance And Update Frequency

##### Maintenance Frequency Code

irregular

### Resource Format

#### Format

##### Name

\*.xml

##### Version

Unknown

### Descriptive Keywords

#### Keywords

##### Keyword

New Zealand

##### Type

##### Keyword Type Code

theme

### Thesaurus Name

#### Citation

##### Title

ANZLIC Jurisdictions

##### Date

**Edition**

| Version 2.1

**Edition Date**

| Date  
| 2008-10-29

**Identifier**

| Identifier  
| Code  
| <http://asdd.ga.gov.au/asdd/profileinfo/anzlic-jurisdic.xml#anzlic-jurisdic>

**Cited Responsible Party**

| Responsible Party  
| Organisation Name  
| ANZLIC the Spatial Information Council  
  
| Role  
| Role Code  
| custodian

**Descriptive Keywords**

**Keywords**

| Keyword  
| WATER

| Keyword  
| WATER-Wetlands

**Type**

| Keyword Type Code  
| theme

**Thesaurus Name**

| Citation  
| Title  
| ANZLIC Search Words

**Date**

**Edition**

| Version 2.1

**Edition Date**

| Date  
| 2008-05-16

**Identifier**

| Identifier  
| Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-theme.xml#anzlic-theme>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Resource Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

Access Constraints

Restriction Code

license

Resource Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0

Use Constraints

Restriction Code

copyright

Resource Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

Use Constraints

Restriction Code

license

Language

eng

Character Set

Character Set Code

utf8

Topic Category Code

environment

Extent

EX \_ Extent

Geographic Element

EX \_ Geographic Description

Identifier

Authority

Citation

Title

ANZMet Lite Country codelist

Date

Edition

Version 1.0

Edition Date

Date

2009-03-31

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-country.xml#Country>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Code

nzl

Extent

EX \_ Extent

Geographic Element

EX \_ Geographic Bounding Box

166.559037236178.516525494-47.2550214171-34.4126910882

Distribution Info

Distribution

Transfer Options

Digital Transfer Options

On Line

Online Resource

Linkage

URL

## Data Quality Info

### DQ \_ Data Quality

#### Scope

##### DQ \_ Scope

##### Level

##### Scope Code

dataset

##### Level Description

##### Scope Description

##### Other

dataset

## Lineage

### LI \_ Lineage

#### Statement

Source: Landcare Research Method: "Freshwater wetlands in New Zealand include permanently or intermittently wet areas, shallow water or land/water margins that support a natural community of plants and animals adapted to living in wet conditions (Resource Management Act 1991). They occur in a wide variety of locations ranging from estuaries to mountain tops. The current (2008) and predicted pre-human extent of wetlands were mapped at 1:50,000 to a minimum size of 0.5ha. Seven classes of wetlands were mapped according to their function. Fuzzy expert rules were used to identify: bog, fen, inland saline, marsh, pakihi/gumland, seepage, and swamp based on Johnson and Gerbeaux (2004). Ephemeral wetlands, saltmarsh, and shallow water wetlands were not mapped. The historic extent was predicted from the national Fundamental Soil Layers (FSL) database, and refined using a 15m digital elevation model derived from digital 20m contours. Geographical Information System (GIS) rules were used to identify wetland soils based on the soil survey descriptions that included drainage properties, presence of peat, and the presence of wetland vegetation. Soil drainage is divided into five classes in the FSL, from poorly drained (class 1) to well-drained soils (class 5). Soils in classes three to one were considered to have a high probability of having been wetland. The current extent was mapped using 26 Landsat Enhanced Thematic Mapper (ETM+) satellite imagery and wetland point and polygon data collated from recent surveys, field work or photo-interpretation held by local and central government. Point and polygon data were checked against the satellite imagery and the wetland boundaries corrected or delineated using the imagery (Ausseil et al 2008). The accuracy of the data source is of medium quality. References : Ausseil, A-GE, Gerbeaux, P, Chadderton, WL, Stephens, T, Brown, DJ, & Leathwick, J (2008). Wetland ecosystems of national importance for biodiversity: Criteria, methods and candidate list of nationally important inland wetlands. Landcare Research Contract Report LC0708/158 for the Department of Conservation. Johnson, P & Gerbeaux, P (2004). Wetland types in New Zealand. Available from [www.doc.govt.nz](http://www.doc.govt.nz). Resource Management Act (1991). Available from [www.legislation.govt.nz](http://www.legislation.govt.nz). "

## Metadata Constraints

### Legal Constraints

#### Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

#### Access Constraints

#### Restriction Code

license

## Metadata Constraints

### Legal Constraints

#### Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

#### Use Constraints

#### Restriction Code

license