



Dissolved Reactive Phosphorus trend, 1989-2013

Metadata

File Identifier

0d410f35-7436-9ffb-e292-0c867a398c3c

Language

eng

Character Set

Character Set Code

utf8

Hierarchy Level

Scope Code

dataset

Hierarchy Level Name

dataset

Contact

Responsible Party

Organisation Name

Environmental Reporting, Ministry for the Environment and Statistics New Zealand

Position Name

Analyst

Contact Info

Contact

Address

Address

Delivery Point

23 Kate Sheppard Place, PO Box 10362

City

Wellington 6143

Country

New Zealand

Electronic Mail Address

Environmental.Reporting@mfe.govt.nz

Role

Role Code

distributor

Date Stamp

Date

2016-01-21

Metadata Standard Name

ANZLIC Metadata Profile: An Australian/New Zealand Profile of AS/NZS ISO 19115:2005, Geographic information - Metadata

Metadata Standard Version

1.1

Reference System Info**Reference System****Reference System Identifier****Identifier****Code**

2193

Identification Info**Data Identification****Citation****Citation****Title**

Dissolved Reactive Phosphorus trend, 1989-2013

Date**Abstract**

"Phosphorus is an essential nutrient for plant and animal life. Total phosphorus (TP) includes all concentrations in a sample, whether dissolved, in solid form or bound to sediment in the river. Dissolved reactive phosphorus (DRP) is the portion which is dissolved and can immediately support plant and algae growth. Excess phosphorus in our rivers can cause large amounts of (sometimes toxic) algae to grow, which can harm river health and reduce the recreational and aesthetic value of rivers. This dataset relates to the ""River water quality trends: phosphorus "" measure on the Environmental Indicators, Te taiao "

Status**Progress Code**

completed

Point Of Contact**Responsible Party****Organisation Name**

Environmental Reporting, Ministry for the Environment and Statistics New Zealand

Position Name

Analyst

Contact Info**Contact****Address****Address****Delivery Point**

23 Kate Sheppard Place, PO Box 10362

City

Wellington 6143

Country

New Zealand

Electronic Mail Address

Environmental.Reporting@mfe.govt.nz

Role

Role Code

distributor

Resource Maintenance

Maintenance Information

Maintenance And Update Frequency

Maintenance Frequency Code

irregular

Resource Format

Format

Name

*.xml

Version

Unknown

Descriptive Keywords

Keywords

Keyword

New Zealand

Type

Keyword Type Code

theme

Thesaurus Name

Citation

Title

ANZLIC Jurisdictions

Date

Edition

Version 2.1

Edition Date

Date

2008-10-29

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-jurisdic.xml#anzlic-jurisdic>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Descriptive Keywords

Keywords

Keyword

WATER

Keyword

WATER-Quality

Type

Keyword Type Code

theme

Thesaurus Name

Citation

Title

ANZLIC Search Words

Date

Edition

Version 2.1

Edition Date

Date

2008-05-16

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-theme.xml#anzlic-theme>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Resource Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

Access Constraints

Restriction Code

license

Resource Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0

Use Constraints

Restriction Code

copyright

Resource Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

Use Constraints

Restriction Code

license

Language

eng

Character Set

Character Set Code

utf8

Topic Category Code

environment

Extent

EX _ Extent

Geographic Element

EX _ Geographic Description

Identifier

Authority

Citation

Title

ANZMet Lite Country codelist

Date

Edition

Version 1.0

Edition Date

Date

2009-03-31

Identifier

Identifier

Code

<http://asdd.ga.gov.au/asdd/profileinfo/anzlic-country.xml#Country>

Cited Responsible Party

Responsible Party

Organisation Name

ANZLIC the Spatial Information Council

Role

Role Code

custodian

Code

nzl

Extent

EX _ Extent

Geographic Element

EX _ Geographic Bounding Box

167.534694771177.881584208-46.3894482934-35.2744930255

Distribution Info

Distribution

Transfer Options

Digital Transfer Options

On Line

Online Resource

Linkage

URL

<https://data.mfe.govt.nz/layer/52695-dissolved-reactive-phosphorus-trend-19892013/>

Data Quality Info

DQ _ Data Quality

Scope

DQ _ Scope

Level

Scope Code

dataset

Level Description

Scope Description

Other

dataset

Lineage

LI _ Lineage

Statement

Source: National Institute of Water and Atmospheric Research Method: "In New Zealand, most phosphorus enters our rivers and lakes attached to eroded soil (Elliot et al 2005). While bound to sediment, it is not immediately available as a nutrient for plants and algae. However, over time and in the right conditions bound phosphorus can gradually dissolve, stimulating growth of aquatic algae for many years (Ekholm 1994). Two forms of phosphorus are reported on: - Total Phosphorus, which accounts for all the phosphorus in our rivers regardless of the form it is in. This includes the portion which is dissolved and available to plants and algae now, and that which is bound to soil or sediment and may become available in the future. - Dissolved reactive phosphorus, indicates how much phosphorus is immediately available to support algae and plant growth. Samples for phosphorus analysis are collected from the river at fixed locations, and sent to a laboratory for chemical analysis. NIWA have measured monthly phosphorus consistently at 77 sites along 35 major rivers between 1989 and 2013 enabling changes over time to be calculated. These 35 rivers drain about 50 percent of New Zealand's land area. Trends over shorter time periods can be assessed using regional council data. However, these monitored sites are not representative of the national river network because they tend to be located in more problematic areas. The data was flow-adjusted before trend analysis, to remove the influence of variation in stream flow. Flow adjustment means the reported trends better reflect for the effects of controlling factors other than flow. The accuracy of the data source is of high quality. Reference: Elliott, AH, Alexander, RB, Schwartz, GE, Shanker, U, Sukias, JPS, & McBride, GB (2005). Estimation of nutrient sources and transport for New Zealand using the hybrid mechanistic-statistical model SPARROW. Journal of Hydrology (NZ), 44(1), 1-27."

Metadata Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

Access Constraints

Restriction Code

license

Metadata Constraints

Legal Constraints

Use Limitation

Creative Commons Attribution 3.0 New Zealand by Ministry for the Environment

Use Constraints

Restriction Code

license