



*Ministry for the*  
**Environment**  
*Manatū Mō Te Taiao*

## Most common habitat type in coastal waters (2011)

### Title

Most common habitat type in coastal waters (2011)

### Publisher

New Zealand's Environment Reporting Series: The Ministry for the Environment and Statistics  
New Zealand

### Description

New Zealand has a diverse coastline, which spans 15,000 km. Reporting on our coastal seabed (benthic) habitats provides important contextual information on the state of the marine domain. This dataset relates to the "Coastal habitats" measure on the Environmental Indicators, Te taiao Aotearoa website.

### Source

Department of Conservation, Ministry for Primary Industries+H33

### Rights

Creative Commons Attribution 3.0 New Zealand

### Rights

Attribution 3.0 New Zealand

### Rights

<http://creativecommons.org/licenses/by/3.0/nz/>

### Coverage

2011; Chathams, East Coast South Island, Eastern North Island, Fiordland, Kermadec Islands, North Cook Strait, North Eastern, Snares Islands, South Cook Strait, Southern South Island, Subantarctic Islands, Three Kings, West Coast South Island, Western North Island.

### Identifier

<https://data.mfe.govt.nz/table/52517-most-common-habitat-type-in-coastal-waters-2011/>

### Type

Dataset

### Language

eng-nz