



Influenza like illness weekly consultation rates, 2000–16

Title

Influenza like illness weekly consultation rates, 2000–16

Publisher

New Zealand's Environment Reporting Series: The Ministry for the Environment and Statistics
New Zealand

Description

Influenza is a potentially life-threatening virus that spreads quickly from person to person. It is a significant public health issue in this country, with 10–20 percent of New Zealanders infected every year. While influenza can occur all year round, incidence generally peaks in winter and spring in New Zealand. Some studies suggest this is because the virus can survive longer outside the body in periods of colder weather and low humidity (dry conditions). Influenza infections may decline as our climate changes. Warmer projected temperatures and higher humidity during winter and spring may contribute to reduced annual influenza rates. However, influenza infection is also affected by factors besides temperature and humidity. These data are reported in an annual surveillance report by the Institute of Environmental Science and Research. See the 2015 report for more information (Institute of Environmental Science and Research, 2016). More information on this dataset and how it relates to our environmental reporting indicators and topics can be found in the attached data quality pdf.

Source

Institute of Environmental Science and Research Limited (ESR)

Rights

Creative Commons Attribution 4.0 New Zealand

Rights

Attribution 4.0 International

Rights

<http://creativecommons.org/licenses/by/4.0/>

Coverage

2000–16, New Zealand

Identifier

AC17/038

Type

Dataset

Language

eng-nz

Subject

health, acute illness, Environmental reporting series: Our atmosphere and climate 2017